

Author's Accepted Manuscript

Dual factor model of mental health: Co-occurrence of positive mental health and suicide ideation in inpatients and outpatients

Tobias Teismann, Julia Brailovskaia, Paula Siegmann, Peter Nyhuis, Marcus Wolter, Ulrike Willutzki



PII: S0165-1781(17)30974-5
DOI: <https://doi.org/10.1016/j.psychres.2017.11.085>
Reference: PSY11033

To appear in: *Psychiatry Research*

Received date: 31 May 2017
Revised date: 28 November 2017
Accepted date: 29 November 2017

Cite this article as: Tobias Teismann, Julia Brailovskaia, Paula Siegmann, Peter Nyhuis, Marcus Wolter and Ulrike Willutzki, Dual factor model of mental health: Co-occurrence of positive mental health and suicide ideation in inpatients and outpatients, *Psychiatry Research*, <https://doi.org/10.1016/j.psychres.2017.11.085>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Dual factor model of mental health: Co-occurrence of positive mental health and suicide ideation in inpatients and outpatients

Tobias Teismann^{*a}, Julia Brailovskaia^a, Paula Siegmann^a, Peter Nyhuis^b, Marcus Wolter^b,
Ulrike Willutzki^c

^a Mental Health Research and Treatment Center, Department of Psychology, Ruhr-Universität Bochum, Germany

^b St. Marien-Hospital Eickel, Herne, Germany

^c Department for Psychology and Psychotherapy, Universität Witten/Herdecke, Witten, Germany

*Corresponding author: Dr. Tobias Teismann, Department of Clinical Psychology and Psychotherapy, Ruhr-Universität Bochum, Massenbergsstraße 11, 44787 Bochum, Germany, Tel.: +49 / 234 32 27787, tobias.teismann@rub.de

Abstract

Positive and negative mental health are independent but correlated concepts. Yet, it is unknown whether positive mental health does co-occur with suicide ideation. The present study aimed to determine the proportion of patients who have positive mental health as well as suicide ideation. Inpatients ($N=100$) and outpatients ($N=182$) completed self-report measures of positive mental health, suicide ideation and lifetime suicide attempts. Eleven

Download English Version:

<https://daneshyari.com/en/article/6812084>

Download Persian Version:

<https://daneshyari.com/article/6812084>

[Daneshyari.com](https://daneshyari.com)