


## Author's Accepted Manuscript

Suicidal thoughts in persons treated for alcohol dependence: the role of selected demographic and clinical factors

Marcin Ziółkowski, Damian Czarnecki, Jan Chodkiewicz, Krzysztof Gąsior, Artur Juczyński, Agata Biedrzycka, Ewa Gruszczyńska, Katarzyna Nowakowska-Domagala



PII: S0165-1781(17)30053-7  
DOI: <http://dx.doi.org/10.1016/j.psychres.2017.08.089>  
Reference: PSY10805

To appear in: *Psychiatry Research*

Received date: 11 January 2017  
Revised date: 16 June 2017  
Accepted date: 24 August 2017

Cite this article as: Marcin Ziółkowski, Damian Czarnecki, Jan Chodkiewicz, Krzysztof Gąsior, Artur Juczyński, Agata Biedrzycka, Ewa Gruszczyńska and Katarzyna Nowakowska-Domagala, Suicidal thoughts in persons treated for alcohol dependence: the role of selected demographic and clinical factors, *Psychiatry Research*, <http://dx.doi.org/10.1016/j.psychres.2017.08.089>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## Suicidal thoughts in persons treated for alcohol dependence: the role of selected demographic and clinical factors

Marcin Ziółkowski<sup>a</sup>, Damian Czarnecki<sup>a</sup>, Jan Chodkiewicz<sup>b</sup>, Krzysztof Gąsior<sup>c</sup>, Artur Juczyński<sup>d</sup>, Agata Biedrzycka<sup>e</sup>, Ewa Gruszczyńska<sup>f</sup>, Katarzyna Nowakowska-Domagala<sup>g\*</sup>

<sup>a</sup>Department of Psychiatric Nursing, Collegium Medicum in Bydgoszcz, Nicolaus Copernicus University in Torun

<sup>b</sup>Department of Health Psychology, Institute of Psychology, University of Lodz

<sup>c</sup>Świętokrzyski Prevention and Education Centre in Kielce

<sup>d</sup>Municipal Centre of Addictions Prevention and Treatment in Lodz

<sup>e</sup>Addictions Treatment Ward, Psychiatric Hospital in Radom

<sup>f</sup>Department of Health Psychology, Institute of Clinical Psychology, University of Social Sciences and Humanities, Warsaw, Poland

<sup>g</sup>Department of Cognitive Science, Institute of Psychology, Faculty of Educational Sciences, University of Lodz

\*Corresponding author: Department of Cognitive Science, Institute of Psychology, Faculty of Educational Sciences, University of Lodz, 91-433 Lodz, ul. Smugowa 10/12.  
katarzyna.nowakowskadomagala@uni.lodz.pl

### Abstract

Greater knowledge is needed of potential predictive factors for suicide in cases of alcohol addiction. Therefore, the aim of the study was to identify the socio-demographic variables and clinical factors associated with alcohol dependence which may have an influence on the occurrence of suicidal thoughts in alcohol-dependent patients. A group of 510 patients (396 male and 114 female) diagnosed with alcohol dependence syndrome were interviewed during the third week of therapy according to the Beck Depression Inventory (BDI), the Penn

Download English Version:

<https://daneshyari.com/en/article/6812197>

Download Persian Version:

<https://daneshyari.com/article/6812197>

[Daneshyari.com](https://daneshyari.com)