Author's Accepted Manuscript

Interactive Effect of Negative Affectivity and Anxiety Sensitivity in Terms of Mental Health Among Latinos in Primary Care

Michael J. Zvolensky, Daniel J. Paulus, Jafar Bakhshaie, Monica Garza, Melissa Ochoa-Perez, Angela Medvedeva, Daniel Bogiaizian, Zuzuky Robles, Kara Manning, Norman B. Schmidt



www.elsevier.com/locate/psvchres

PII: S0165-1781(16)30059-2

http://dx.doi.org/10.1016/j.psychres.2016.06.006 DOI:

PSY9757 Reference:

To appear in: Psychiatry Research

Received date: 28 January 2016 Revised date: 7 June 2016 Accepted date: 9 June 2016

Cite this article as: Michael J. Zvolensky, Daniel J. Paulus, Jafar Bakhshaie Monica Garza, Melissa Ochoa-Perez, Angela Medvedeva, Daniel Bogiaizian Zuzuky Robles, Kara Manning and Norman B. Schmidt, Interactive Effect o Negative Affectivity and Anxiety Sensitivity in Terms of Mental Health Among Care, Psychiatry Latinos **Primary** Research http://dx.doi.org/10.1016/j.psychres.2016.06.006

This is a PDF file of an unedited manuscript that has been accepted fo publication. As a service to our customers we are providing this early version o the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain

ACCEPTED MANUSCRIPT

Interactive Effect of Negative Affectivity and Anxiety Sensitivity in Terms of Mental Health
Among Latinos in Primary Care

Michael J. Zvolensky^{ab*}, Daniel J. Paulus^a, Jafar Bakhshaie^a, Monica Garza^c, Melissa Ochoa-Perez^c, Angela Medvedeva^a, Daniel Bogiaizian^d, Zuzuky Robles^a, Kara Manning^a, Norman B. Schmidt^e

^aDepartment of Psychology, University of Houston, Houston, Texas, USA

^bDepartment of Behavioral Science, The University of Texas MD Anderson Cancer Center, Houston, Texas, USA

^cLegacy Community Health Services, Houston, Texas, USA

^dPsychotherapeutic Area of "Asociación Ayuda", Anxiety Disorders Clinic, Buenos Aires, Argentina

^eDepartment of Psychology, Florida State University, Tallahassee, Florida, USA

*Corresponding author: Michael J. Zvolensky, The University of Houston, 126 Heyne Building, Suite 104, Houston, Texas 77204-5502, United States. (Phone): 713-743-8056; (Fax): 713-743-8588. mjzvolen@central.uh.edu

Abstract

From a public health perspective, primary care medical settings represent a strategic location to address mental health disapirty among Latinos. Yet, there is little empirical work that addresses affective vulnerability processes for mental health problems in such settings. To help address this gap in knowledge, the present investigation examined an interactive model of negative affectivity (tendency to experience negative mood states) and anxiety sensitivity (fear of the negative consequences of aversive sensations) among a Latino sample in primary care in terms of a relatively wide range of anxiety/depression indices. Participants included 390 Latino adults ($M_{age} = 38.7$, SD = 11.3; 86.9% female; 95.6% reported Spanish as first language) from a primary care health clinic. Primary dependent measures included depressive, suicidal, social anxiety, and anxious arousal symptoms, number of mood and anxiety disorders, and disability. Consistent with prediction, the interaction between negative affectivity and anxiety sensitivity

Download English Version:

https://daneshyari.com/en/article/6812631

Download Persian Version:

https://daneshyari.com/article/6812631

<u>Daneshyari.com</u>