

Accepted Manuscript

Title: Matrix Metalloproteinases and psychosocial factors in acute coronary syndrome patients

Author: Fernandez Machulsky Nahuel Gagliardi Juan Fabre Bibiana Miksztowicz Verónica Lombardo Micaela García Escudero Alejandro Gigena Gerardo Blanco Federico Gelpi Ricardo Schreier Laura Gidron Yori Berg Gabriela



PII: S0306-4530(15)00918-X
DOI: <http://dx.doi.org/doi:10.1016/j.psyneuen.2015.09.015>
Reference: PNEC 3082

To appear in:

Received date: 23-6-2015
Revised date: 14-9-2015
Accepted date: 14-9-2015

Please cite this article as: Nahuel, Fernandez Machulsky, Juan, Gagliardi, Bibiana, Fabre, Verónica, Miksztowicz, Micaela, Lombardo, Alejandro, García Escudero, Gerardo, Gigena, Federico, Blanco, Ricardo, Gelpi, Laura, Schreier, Yori, Gidron, Gabriela, Berg, Matrix Metalloproteinases and psychosocial factors in acute coronary syndrome patients. *Psychoneuroendocrinology* <http://dx.doi.org/10.1016/j.psyneuen.2015.09.015>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Matrix Metalloproteinases and psychosocial factors in acute coronary syndrome patients

Fernandez Machulsky Nahuel BSc¹, Gagliardi Juan PhD², Fabre Bibiana PhD³, Miksztowicz Verónica PhD¹, Lombardo Micaela BSc¹, García Escudero Alejandro MD², Gigena Gerardo MD², Blanco Federico MD², Gelpi Ricardo PhD⁴, Schreier Laura PhD¹, Gidron Yori PhD⁵, Berg Gabriela PhD¹.

¹Lipids and Atherosclerosis Laboratory, Clinical Biochemistry Department, INFIBIOC, Faculty of Pharmacy and Biochemistry, University of Buenos Aires, Argentina. ²Hemodynamic Unit, Cardiology Division, General Hospital Dr. Cosme Argerich, Buenos Aires, Argentina. ³Endocrinology Laboratory, Clinical Biochemistry Department, INFIBIOC, Faculty of Pharmacy and Biochemistry, University of Buenos Aires, Argentina. ⁴Institute of Cardiovascular Physiopathology and Department of Pathology, Faculty of Medicine, University of Buenos Aires, Argentina. ⁵Behavior Medicine, Faculty of Medicine & Pharmacy, Vrije Universiteit Brussel (VUB), Brussels, Belgium.

Corresponding author: Prof. Dr. Gabriela Berg; e-mail: gaberg@ffyb.uba.ar; Junin 956, CABA, Argentina. Tel: 5411-4964-8297; Fax: 5411-5950-8692

Highlights

- Hostility positively correlates with MMP-2 activity in low social support.
- Hostility explained up to a 28% of the variance of MMP-2 activity.
- Social support was related with ejection fraction at acute myocardial infarction.
- The number of diseased vessels was related with social support.

Download English Version:

<https://daneshyari.com/en/article/6818442>

Download Persian Version:

<https://daneshyari.com/article/6818442>

[Daneshyari.com](https://daneshyari.com)