Title: Population variation in neuroendocrine activity is associated with behavioral inhibition and hemispheric brain structure in young rhesus monkeys

Author: Sarah J. Short Gabriele R. Lubach Elizabeth A. Shirtcliff Martin A. Styner John H. Gilmore Christopher L. Coe

PII: S0306-4530(14)00164-4
DOI: http://dx.doi.org/doi:10.1016/j.psyneuen.2014.05.002
Reference: PNEC 2692

To appear in:

Received date: 24-9-2013
Revised date: 2-5-2014
Accepted date: 2-5-2014

Please cite this article as: Short, S.J., Lubach, G.R., Shirtcliff, E.A., Styner, M.A., Gilmore, J.H., Coe, C.L.,Population variation in neuroendocrine activity is associated with behavioral inhibition and hemispheric brain structure in young rhesus monkeys, *Psychoneuroendocrinology* (2014), http://dx.doi.org/10.1016/j.psyneuen.2014.05.002

Population variation in neuroendocrine activity is associated with behavioral inhibition and hemispheric brain structure in young rhesus monkeys

Sarah J. Short[1], Gabriele R. Lubach[2], Elizabeth A. Shirtcliff[3], Martin A. Styner[1,4], John H. Gilmore[1], and Christopher L. Coe[2]

[1]Department of Psychiatry, University of North Carolina, Chapel Hill, NC 27599, USA

[2]Harlow Center for Biological Psychology, University of Wisconsin, Madison, WI 53715, USA

[3]Department of Human Development and Family Studies, Iowa State University, Ames, IA 50011, USA

[4]Department of Computer Science, University of North Carolina, Chapel Hill, NC 27599, USA

Submitted to: Psychoneuroendocrinology

Running Title: Biomarkers of behavioral inhibition

Send correspondence to:

Sarah Short, Ph.D.
Department of Psychiatry
365 Medical School Wing C
Campus Box #7160
Chapel Hill, NC 27599-7160

Email: sjshort@med.unc.edu
FAX: 919-966-7225
TEL: 608-770-1357