

Accepted Manuscript

Title: Prognosis of post-stroke status epilepticus: effects of time difference between the two events

Authors: Estevo Santamarina, Laura Abraira, Manuel Toledo, Montserrat González-Cuevas, Manuel Quintana, Olga Maisterra, María Sueiras, Lorena Guzman, Javier Salas-Puig, José Álvarez Sabín



PII: S1059-1311(18)30198-5
DOI: <https://doi.org/10.1016/j.seizure.2018.07.006>
Reference: YSEIZ 3232

To appear in: *Seizure*

Received date: 27-3-2018
Revised date: 7-7-2018
Accepted date: 8-7-2018

Please cite this article as: Santamarina E, Abraira L, Toledo M, González-Cuevas M, Quintana M, Maisterra O, Sueiras M, Guzman L, Salas-Puig J, Sabín J, Prognosis of post-stroke status epilepticus: effects of time difference between the two events, *Seizure: European Journal of Epilepsy* (2018), <https://doi.org/10.1016/j.seizure.2018.07.006>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Prognosis of post-stroke status epilepticus: effects of time difference between the two events

Authors: Estevo Santamarina,¹ Laura Abreira,¹ Manuel Toledo,¹ Montserrat González-Cuevas,¹ Manuel Quintana,¹ Olga Maisterra,³ María Sueiras,² Lorena Guzman,² Javier Salas-Puig,¹ José Álvarez Sabín³

1. Epilepsy Unit, Department of Neurology, Vall d'Hebron University Hospital, Barcelona, Spain

2. EEG Unit, Department of Neurophysiology, Vall d'Hebron University Hospital, Barcelona, Spain

3. Neurovascular Unit, Vall d'Hebron University Hospital, Barcelona, Spain

Corresponding author: Estevo Santamarina

Address: Passeig Vall d'Hebron 119-121, 08035 Barcelona, Spain

Telephone and fax: +34 93 489 4257

E-mail: esantama@vhebron.net

Key words: Status Epilepticus; Vascular Epilepsy; Outcome

Number of text pages: 12

Word count: 3409

Number of references: 27

Number of figures: 3

Number of tables 3

HIGHLIGHTS

- This study updates the outcome of PSSE using variables not previously used.
- Mortality was related to PSSE occurring within the first 72 hours after a stroke.
- A functional decline risk remained high in PSSE the first 3 months after stroke.

Download English Version:

<https://daneshyari.com/en/article/6829762>

Download Persian Version:

<https://daneshyari.com/article/6829762>

[Daneshyari.com](https://daneshyari.com)