

Accepted Manuscript

Incremental mining maximal frequent patterns from univariate uncertain data

Hanieh Fasihi , Mohammad H. Nadimi Shahraki

PII: S0950-7051(18)30166-7
DOI: [10.1016/j.knosys.2018.04.001](https://doi.org/10.1016/j.knosys.2018.04.001)
Reference: KNOSYS 4283



To appear in: *Knowledge-Based Systems*

Received date: 25 August 2017
Revised date: 30 March 2018
Accepted date: 1 April 2018

Please cite this article as: Hanieh Fasihi , Mohammad H. Nadimi Shahraki , Incremental mining maximal frequent patterns from univariate uncertain data, *Knowledge-Based Systems* (2018), doi: [10.1016/j.knosys.2018.04.001](https://doi.org/10.1016/j.knosys.2018.04.001)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Proposing the first approach designed to incremental mining maximal frequent patterns from univariate uncertain database.
- Introducing a tree-traversing strategy which is more efficient than the compared method.
- Developed a two-level index structure, which is more efficient to trace the mining process.

Download English Version:

<https://daneshyari.com/en/article/6861371>

Download Persian Version:

<https://daneshyari.com/article/6861371>

[Daneshyari.com](https://daneshyari.com)