

Accepted Manuscript

A Visual Attention based ROI Detection Method for Facial Expression Recognition

Wenyun Sun, Haitao Zhao, Zhong Jin

PII: S0925-2312(18)30326-6
DOI: [10.1016/j.neucom.2018.03.034](https://doi.org/10.1016/j.neucom.2018.03.034)
Reference: NEUCOM 19436

To appear in: *Neurocomputing*

Received date: 13 April 2017
Revised date: 10 February 2018
Accepted date: 10 March 2018

Please cite this article as: Wenyun Sun, Haitao Zhao, Zhong Jin, A Visual Attention based ROI Detection Method for Facial Expression Recognition, *Neurocomputing* (2018), doi: [10.1016/j.neucom.2018.03.034](https://doi.org/10.1016/j.neucom.2018.03.034)



This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- An 11-layered CNN with Visual Attention is proposed for facial expression recognition
- An attention model is embedded in the network for ROI detection.
- Convolutional features in the ROI are aggregated for emotion classification.
- The learned ROIs are partly consistent with the emotion specific Action Units.

Download English Version:

<https://daneshyari.com/en/article/6863960>

Download Persian Version:

<https://daneshyari.com/article/6863960>

[Daneshyari.com](https://daneshyari.com)