

Accepted Manuscript

Advance reservation access control using software-defined networking and tokens

Joaquin Chung, Eun-Sung Jung, Rajkumar Kettimuthu, Nageswara S.V. Rao, Ian T. Foster, Russ Clark, Henry Owen

PII: S0167-739X(17)30360-6

DOI: <http://dx.doi.org/10.1016/j.future.2017.03.010>

Reference: FUTURE 3378

To appear in: *Future Generation Computer Systems*

Received date: 17 September 2016

Revised date: 21 February 2017

Accepted date: 7 March 2017

Please cite this article as: J. Chung, E.-S. Jung, R. Kettimuthu, N.S.V. Rao, I.T. Foster, R. Clark, H. Owen, Advance reservation access control using software-defined networking and tokens, *Future Generation Computer Systems* (2017), <http://dx.doi.org/10.1016/j.future.2017.03.010>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Highlights

- A system that automates the advance reservation provisioning process using multidomain SDN orchestration.
- A system that uses tokens to strongly bind an end-to-end flow to the user or application that requested the reservation.
- The system was deployed in the ESNNet testbed.
- The system can reduce the provisioning time of an end-to-end circuit from several days (manual process) to a few minutes (automated process).
- A self-contained token approach replies from 15 ms to 1 second faster to a client requests than does an opaque token approach, because validation happens on the enforcement point.

Download English Version:

<https://daneshyari.com/en/article/6873424>

Download Persian Version:

<https://daneshyari.com/article/6873424>

[Daneshyari.com](https://daneshyari.com)