

Accepted Manuscript

Visibly Pushdown Transducers

Emmanuel Filiot, Jean-François Raskin, Pierre-Alain Reynier, Frédéric Servais,
Jean-Marc Talbot

PII: S0022-0000(18)30600-7
DOI: <https://doi.org/10.1016/j.jcss.2018.05.002>
Reference: YJCSS 3176

To appear in: *Journal of Computer and System Sciences*

Received date: 21 August 2014
Revised date: 9 March 2016
Accepted date: 30 May 2018

Please cite this article in press as: E. Filiot et al., Visibly Pushdown Transducers, *J. Comput. Syst. Sci.* (2018), <https://doi.org/10.1016/j.jcss.2018.05.002>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Highlights

- we introduce the class of Visibly Pushdown Transducers (VPT)
- VPT model transformations from nested words to words
- VPT have good algorithmic properties (e.g. decidable functional equivalence)
- VPT are closed by regular look-ahead
- well-nested VPT, as subclass of VPT, have decidable type-checking problem

Download English Version:

<https://daneshyari.com/en/article/6874659>

Download Persian Version:

<https://daneshyari.com/article/6874659>

[Daneshyari.com](https://daneshyari.com)