

# Accepted Manuscript

Subproblem Ordering Heuristics for AND/OR Best-First Search

William Lam, Kalev Kask, Javier Larrosa, Rina Dechter

PII: S0022-0000(17)30211-8  
DOI: <https://doi.org/10.1016/j.jcss.2017.10.003>  
Reference: YJCSS 3142

To appear in: *Journal of Computer and System Sciences*

Received date: 15 May 2017  
Revised date: 17 October 2017  
Accepted date: 27 October 2017

Please cite this article in press as: W. Lam et al., Subproblem Ordering Heuristics for AND/OR Best-First Search, *J. Comput. Syst. Sci.* (2018), <https://doi.org/10.1016/j.jcss.2017.10.003>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



## Highlights

- Subproblem ordering impacts the performance of AND/OR Best-First search.
- Look-ahead (and thus MBE bucket errors) can be used to guide subproblem ordering.
- Several schemes to approximate bucket errors are proposed to deal with overhead.

Download English Version:

<https://daneshyari.com/en/article/6874701>

Download Persian Version:

<https://daneshyari.com/article/6874701>

[Daneshyari.com](https://daneshyari.com)