Accepted Manuscript

Spline Surface Fitting using Normal Data and Norm-like Functions

Agnes Seiler, David Großmann, Bert Jüttler


 PII:
 S0167-8396(18)30077-3

 DOI:
 https://doi.org/10.1016/j.cagd.2018.06.005

 Reference:
 COMAID 1699

To appear in: Computer Aided Geometric Design

Received date:30 November 2017Revised date:23 April 2018Accepted date:19 June 2018



Please cite this article in press as: Seiler, A., et al. Spline Surface Fitting using Normal Data and Norm-like Functions. *Comput. Aided Geom. Des.* (2018), https://doi.org/10.1016/j.cagd.2018.06.005

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Simultaneous approximation of points and normals to enhance approximate G1 smoothness
 For every mesh size there exists a solution to this optimization problem.
 Optimal convergence is achieved choosing an appropriate weight for the normal data.
 Experiments include THB-splines and norm-like functions applied to industrial data.

Download English Version:

https://daneshyari.com/en/article/6876597

Download Persian Version:

https://daneshyari.com/article/6876597

Daneshyari.com