

Accepted Manuscript

Temporal and Volumetric Denoising via Quantile Sparse Image Prior

Franziska Schirmacher, Thomas Köhler, Jürgen Endres,
Tobias Lindenberger, Lennart Husvagt, James G. Fujimoto,
Joachim Hornegger, Arnd Dörfler, Philip Hoelter, Andreas K. Maier

PII: S1361-8415(18)30356-6
DOI: [10.1016/j.media.2018.06.002](https://doi.org/10.1016/j.media.2018.06.002)
Reference: MEDIMA 1379



To appear in: *Medical Image Analysis*

Received date: 3 February 2018
Revised date: 9 May 2018
Accepted date: 1 June 2018

Please cite this article as: Franziska Schirmacher, Thomas Köhler, Jürgen Endres, Tobias Lindenberger, Lennart Husvagt, James G. Fujimoto, Joachim Hornegger, Arnd Dörfler, Philip Hoelter, Andreas K. Maier, Temporal and Volumetric Denoising via Quantile Sparse Image Prior, *Medical Image Analysis* (2018), doi: [10.1016/j.media.2018.06.002](https://doi.org/10.1016/j.media.2018.06.002)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Algorithm enables noise reduction in volumetric OCT data while preserving important morphological structures
- Algorithm outperforms state-of-the-art methods in terms of quantitative measures
- Interestingly a slightly modified version of the algorithm successfully removes noise in volumetric CT data

Download English Version:

<https://daneshyari.com/en/article/6877837>

Download Persian Version:

<https://daneshyari.com/article/6877837>

[Daneshyari.com](https://daneshyari.com)