

# Accepted Manuscript

Slice-level diffusion encoding for motion and distortion correction

Jana Hutter, Daan Christiaens, Torben Schneider,  
Lucilio Cordero-Grande, Paddy J Slator, Maria Deprez,  
Anthony N Price, Donald Tournier, Mary Rutherford, Joseph V Hajnal

PII: S1361-8415(18)30408-0  
DOI: [10.1016/j.media.2018.06.008](https://doi.org/10.1016/j.media.2018.06.008)  
Reference: MEDIMA 1385



To appear in: *Medical Image Analysis*

Received date: 3 February 2018  
Revised date: 8 June 2018  
Accepted date: 18 June 2018

Please cite this article as: Jana Hutter, Daan Christiaens, Torben Schneider, Lucilio Cordero-Grande, Paddy J Slator, Maria Deprez, Anthony N Price, Donald Tournier, Mary Rutherford, Joseph V Hajnal, Slice-level diffusion encoding for motion and distortion correction, *Medical Image Analysis* (2018), doi: [10.1016/j.media.2018.06.008](https://doi.org/10.1016/j.media.2018.06.008)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Highlights**

- Breaks the conventional one-volume one-encoding paradigm in diffusion MRI
- Higher temporal sampling of anatomically reliable b0 slices
- Allows more robust distortion and motion correction
- Additional benefits include quicker scans by reduced thermal heating

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/6877857>

Download Persian Version:

<https://daneshyari.com/article/6877857>

[Daneshyari.com](https://daneshyari.com)