Accepted Manuscript

Regular paper

Fractal-based design and fabrication of low-sidelobe antenna array

A. Chatterjee, T. Mondal, Deven G. Patanvariya, Ravi Prasad K. Jagannath

| PII: DOI: | S1434-8411(17)32190-8 https://doi.org/10.1016/j.aeue.2017.11.010 |
|-----------------------------|---|
| Reference: To appear in: | AEUE 52126 International Journal of Electronics and Communi- |
| | cations |
| Received Date: | 11 September 2017 |
| Revised Date: | 8 November 2017 |
| Accepted Date: | 9 November 2017 |

Please cite this article as: A. Chatterjee, T. Mondal, D.G. Patanvariya, R.P.K. Jagannath, Fractal-based design and fabrication of low-sidelobe antenna array, *International Journal of Electronics and Communications* (2017), doi: https://doi.org/10.1016/j.aeue.2017.11.010

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

FRACTAL-BASED DESIGN AND FABRICATION OF LOW-SIDELOBE ANTENNA ARRAY

A. Chatterjee¹, T. Mondal², Deven G Patanvariya¹, Ravi Prasad K. Jagannath³

¹Department of Electronics and Communication Engineering
National Institute of Technology Goa,
Farmagudi, Ponda, Goa-403401, India
Email: snanirban@gmail.com
²Department of Electronics and Communication Engineering
Dr. B. C. Roy Engineering College, Durgapur
Email: tapas2k@gmail.com
³Department of Humanities and Sciences
National Institute of Technology Goa,
Farmagudi, Ponda, Goa-403401, India
Email: k.j.raviprasad@gmail.com

Abstract— The aim of this work is to design and fabricate a compact four-element linear array of microstrip patch antennas to be operated at dedicated short range communication service (DSRCS) band. The array is designed in such a manner to direct most of the power in a particular direction by reducing the peak sidelobe level (peak SLL) in its beam pattern. In order to reduce the array size and also to increase its gain, a modified-Cantor square-fractal based design has been employed as an element of the array. The problem of reducing the peak SLL is formulated as an optimization problem with arguments as the inter-elemental spacing and elements excitation. Optimum values are obtained using Differential Evolution (DE) algorithm. The corporate feed network of the array is designed using the optimum values of the parameters. Finally, using those optimum values, the array is fabricated and the beam pattern of the fabricated array closely resembles with the simulated structure.

Keywords: Microstrip patch antenna, Cantor square fractal, antenna array, peak sidelobe level (peak SLL), optimization, Differential Evolution (DE) algorithm.

1. INTRODUCTION

Antenna arrays are intrinsic part of many systems and such systems have applications in radar, sonar, aircraft, satellite communication systems, radio astronomy, etc. [1-7]. The microstrip patch arrays are compact, low cost and also, with easy integration capability with microwave devices [6,

Download English Version:

https://daneshyari.com/en/article/6879730

Download Persian Version:

https://daneshyari.com/article/6879730

Daneshyari.com