


Accepted Manuscript

L-CAQ: Joint link-oriented channel-availability and channel-quality based channel selection for mobile cognitive radio networks

Md. Arafatur Rahman, A. Taufiq Asyhari, Md Zakirul Alam Bhuiyan, Qusay Medhat Salih, Kamal Zuhairi Bin Zamli



PII: S1084-8045(18)30109-7

DOI: [10.1016/j.jnca.2018.03.022](https://doi.org/10.1016/j.jnca.2018.03.022)

Reference: YJNCA 2103

To appear in: *Journal of Network and Computer Applications*

Received Date: 28 September 2017

Revised Date: 30 December 2017

Accepted Date: 19 March 2018

Please cite this article as: Rahman, M.A., Asyhari, A.T., Bhuiyan, M.Z.A., Salih, Q.M., Zamli, K.Z.B., L-CAQ: Joint link-oriented channel-availability and channel-quality based channel selection for mobile cognitive radio networks, *Journal of Network and Computer Applications* (2018), doi: 10.1016/j.jnca.2018.03.022.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

L-CAQ: Joint Link-Oriented Channel-Availability and Channel-Quality Based Channel Selection for Mobile Cognitive Radio Networks

Md. Arafatur Rahman^{a,b}, A. Taufiq Asyhari^c, Md Zakirul Alam Bhuiyan^{*d},
Qusay Medhat Salih^a, Kamal Zuhairi Bin Zamli^{a,b}

^a*Faculty of Computer Systems & Software Engineering, University Malaysia Pahang, Gambang, 26300, Malaysia.*

^b*IBM Center of Excellence, University Malaysia Pahang, Malaysia.*

^c*Centre for Electronic Warfare, Information and Cyber, Cranfield University, Defence Academy of the UK, Shrivenham SN6 8LA, UK.*

^d*Department of Computer and Information Sciences Fordham University, NY, USA, and School of Computer Science and Educational Software, Guangzhou University, China.*

Abstract

Channel availability probability (CAP) and channel quality (CQ) are two key metrics that can be used to efficiently design a channel selection strategy in cognitive radio networks. For static scenarios, i.e., where all the users are immobile, the CAP metric depends only on the primary users' activity whereas the CQ metric remains relatively constant. In contrast, for mobile scenarios, the values of both metrics fluctuate not only with time (time-variant) but also over different links between users (link-variant) due to the dynamic variation of primary- and secondary-users' relative positions. As an attempt to address this dynamic fluctuation, this paper proposes L-CAQ: a link-oriented channel-availability and channel-quality based channel selection strategy that aims to maximize the link throughput. The L-CAQ scheme considers accurate estimation of the aforementioned two channel selection metrics, which are governed by the mobility-induced non-stationary network topology, and endeavors to select a channel that jointly maximizes the CAP and CQ. The benefits of the proposed scheme are demonstrated through numerical simulation for mobile cognitive radio networks.

Keywords: Channel availability, channel quality, channel selection, cognitive radio, mobile networks, mobility.

Email addresses: arafatur@ump.edu.my (Md. Arafatur Rahman), taufiq-a@ieee.org (A. Taufiq Asyhari), mbhuiyan3@fordham.edu (Md Zakirul Alam Bhuiyan*), qusaysalih81@gmail.com (Qusay Medhat Salih), kamalz@ump.edu.my (Kamal Zuhairi Bin Zamli)

Download English Version:

<https://daneshyari.com/en/article/6884725>

Download Persian Version:

<https://daneshyari.com/article/6884725>

[Daneshyari.com](https://daneshyari.com)