

## Accepted Manuscript

A Reversible Data Transform Algorithm Using Integer Transform for Privacy-Preserving Data Mining

Chen-Yi Lin

PII: S0164-1212(16)00041-8  
DOI: [10.1016/j.jss.2016.02.005](https://doi.org/10.1016/j.jss.2016.02.005)  
Reference: JSS 9675



To appear in: *The Journal of Systems & Software*

Received date: 1 June 2015  
Revised date: 9 December 2015  
Accepted date: 3 February 2016

Please cite this article as: Chen-Yi Lin , A Reversible Data Transform Algorithm Using Integer Transform for Privacy-Preserving Data Mining, *The Journal of Systems & Software* (2016), doi: [10.1016/j.jss.2016.02.005](https://doi.org/10.1016/j.jss.2016.02.005)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

### Research highlights

RDT aims to protect sensitive information from being revealed by data mining methods.

A watermark can be embedded into the original data by RDT.

Compared with the existing algorithms, RDT has better knowledge reservation.

In addition, experimental results also show that RDT has a higher watermark payload.

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/6885490>

Download Persian Version:

<https://daneshyari.com/article/6885490>

[Daneshyari.com](https://daneshyari.com)