

Accepted Manuscript

Accelerating simulation of Population Continuous Time Markov Chains
via automatic model reduction

Cheng Feng, Jane Hillston

PII: S0166-5316(17)30130-X

DOI: <https://doi.org/10.1016/j.peva.2017.11.004>

Reference: PEVA 1947

To appear in: *Performance Evaluation*


Received date: 31 March 2017

Revised date: 30 October 2017

Accepted date: 2 November 2017

Please cite this article as: C. Feng, J. Hillston, Accelerating simulation of Population Continuous Time Markov Chains via automatic model reduction, *Performance Evaluation* (2018), <https://doi.org/10.1016/j.peva.2017.11.004>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Accelerating Simulation of Population Continuous Time Markov Chains via Automatic Model Reduction

Cheng Feng^{a,*}, Jane Hillston^b

^a*Institute for Security Science and Technology, Imperial College London, London, UK*

^b*LFCS, School of Informatics, University of Edinburgh, Informatics Forum, Edinburgh, UK*

Abstract

We present a novel model reduction method which can significantly boost the speed of stochastic simulation of a population continuous-time Markov chain (PCTMC) model. Specifically, given a set of predefined target populations of the modellers' interest, our method exploits the coupling coefficients between population variables and transitions with respect to those target populations which are calculated based on a directed coupling graph constructed for the PCTMC. Population variables and transitions which have high coupling coefficients on the target populations are exactly simulated. However, the remaining population variables and transitions which have low coupling coefficients can either be removed or approximately simulated in the reduced model. The reduced model generated by our approach has significantly lower cost for stochastic simulation, but still retains high accuracy on the statistical properties of the target populations. The applicability and effectiveness of our method is demonstrated on two illustrative models.

Keywords: Population continuous time Markov chain; Stochastic simulation; Model Reduction

*Corresponding author

Email addresses: c.feng@imperial.ac.uk (Cheng Feng), jane.hillston@ed.ac.uk (Jane Hillston)

Download English Version:

<https://daneshyari.com/en/article/6888503>

Download Persian Version:

<https://daneshyari.com/article/6888503>

[Daneshyari.com](https://daneshyari.com)