

Accepted Manuscript

A Novel Pipeline for Adrenal Tumour Segmentation

Hasan Koyuncu , Rahime Ceylan , Hasan Erdogan , Mesut Sivri

PII: S0169-2607(17)30829-5
DOI: [10.1016/j.cmpb.2018.01.032](https://doi.org/10.1016/j.cmpb.2018.01.032)
Reference: COMM 4640



To appear in: *Computer Methods and Programs in Biomedicine*

Received date: 29 June 2017
Revised date: 17 December 2017
Accepted date: 24 January 2018

Please cite this article as: Hasan Koyuncu , Rahime Ceylan , Hasan Erdogan , Mesut Sivri , A Novel Pipeline for Adrenal Tumour Segmentation, *Computer Methods and Programs in Biomedicine* (2018), doi: [10.1016/j.cmpb.2018.01.032](https://doi.org/10.1016/j.cmpb.2018.01.032)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Segmentation of adherent or noncohesive tumours which can be unilateral or bilateral.
- Semi-automated and statistical approach transacting directly on the abdominal section of a CT scan. This process would be significantly more difficult than patch based approaches since it uses the whole image.
- Adrenal tumour segmentation including more than a single tumour type.
- A detailed study using more than 30 CT images.
- No efficient pipeline exists that is unaffected by shape and intensity features of different tumours (size, shape, and location variety, along with low contrast).

Download English Version:

<https://daneshyari.com/en/article/6890976>

Download Persian Version:

<https://daneshyari.com/article/6890976>

[Daneshyari.com](https://daneshyari.com)