

Accepted Manuscript

Methods for classifying depression in single channel EEG using linear and nonlinear signal analysis

Maie Bachmann , Laura Päeske , Kaia Kalev , Katrin Aarma ,
Andres Lehtmets , Pille Ööpik , Jaanus Lass , Hiie Hinrikus

PII: S0169-2607(16)31166-X
DOI: [10.1016/j.cmpb.2017.11.023](https://doi.org/10.1016/j.cmpb.2017.11.023)
Reference: COMM 4554



To appear in: *Computer Methods and Programs in Biomedicine*

Received date: 24 October 2016
Revised date: 14 November 2017
Accepted date: 24 November 2017

Please cite this article as: Maie Bachmann , Laura Päeske , Kaia Kalev , Katrin Aarma ,
Andres Lehtmets , Pille Ööpik , Jaanus Lass , Hiie Hinrikus , Methods for classifying depression in
single channel EEG using linear and nonlinear signal analysis, *Computer Methods and Programs in
Biomedicine* (2017), doi: [10.1016/j.cmpb.2017.11.023](https://doi.org/10.1016/j.cmpb.2017.11.023)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- EEG based measures for detection of depression
- Comparing linear and nonlinear EEG analysis methods' sensitivity to detect depression
- No single superior measure to detect depression
- High depression detection sensitivity by combining measures from single EEG channel

Download English Version:

<https://daneshyari.com/en/article/6891139>

Download Persian Version:

<https://daneshyari.com/article/6891139>

[Daneshyari.com](https://daneshyari.com)