

Accepted Manuscript

A biased random-key genetic algorithm for the maximum quasi-clique problem

Bruno Q. Pinto, Celso C. Ribeiro, Isabel Rosseti, Alexandre Plastino

PII: S0377-2217(18)30490-9
DOI: [10.1016/j.ejor.2018.05.071](https://doi.org/10.1016/j.ejor.2018.05.071)
Reference: EOR 15184



To appear in: *European Journal of Operational Research*

Received date: 26 November 2017
Revised date: 29 May 2018
Accepted date: 30 May 2018

Please cite this article as: Bruno Q. Pinto, Celso C. Ribeiro, Isabel Rosseti, Alexandre Plastino, A biased random-key genetic algorithm for the maximum quasi-clique problem, *European Journal of Operational Research* (2018), doi: [10.1016/j.ejor.2018.05.071](https://doi.org/10.1016/j.ejor.2018.05.071)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Maximum quasi-clique problem has applications in data mining and social networks
- Biased random-key genetic algorithm outperformed other heuristics for the problem
- Only decoder is problem-dependent in a biased random-key genetic algorithm
- Crossover always produces feasible offspring in a biased random-key genetic algorithm

Download English Version:

<https://daneshyari.com/en/article/6894420>

Download Persian Version:

<https://daneshyari.com/article/6894420>

[Daneshyari.com](https://daneshyari.com)