

Accepted Manuscript

Optimizing wind farm cable routing considering power losses

Martina Fischetti, David Pisinger

PII: S0377-2217(17)30704-X
DOI: [10.1016/j.ejor.2017.07.061](https://doi.org/10.1016/j.ejor.2017.07.061)
Reference: EOR 14611



To appear in: *European Journal of Operational Research*

Received date: 24 January 2017
Revised date: 19 June 2017
Accepted date: 26 July 2017

Please cite this article as: Martina Fischetti, David Pisinger, Optimizing wind farm cable routing considering power losses, *European Journal of Operational Research* (2017), doi: [10.1016/j.ejor.2017.07.061](https://doi.org/10.1016/j.ejor.2017.07.061)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- We propose a new mathematical model for cable routing in offshore wind farms
- We introduce a pre-computing strategy to include power losses in the optimization
- A new heuristic framework to solve difficult real-world instances is proposed
- We make a set of real-world available for benchmarking
- We quantify the commercial impact of considering power losses

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/6894534>

Download Persian Version:

<https://daneshyari.com/article/6894534>

[Daneshyari.com](https://daneshyari.com)