

Accepted Manuscript

The Bi-Objective Critical Node Detection Problem

Mario Ventresca, Kyle Robert Harrison, Beatrice M. Ombuki-Berman

PII: S0377-2217(17)30784-1
DOI: [10.1016/j.ejor.2017.08.053](https://doi.org/10.1016/j.ejor.2017.08.053)
Reference: EOR 14672



To appear in: *European Journal of Operational Research*

Received date: 10 August 2016
Revised date: 25 August 2017
Accepted date: 26 August 2017

Please cite this article as: Mario Ventresca, Kyle Robert Harrison, Beatrice M. Ombuki-Berman, The Bi-Objective Critical Node Detection Problem, *European Journal of Operational Research* (2017), doi: [10.1016/j.ejor.2017.08.053](https://doi.org/10.1016/j.ejor.2017.08.053)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Proposed a bi-objective formulation of the critical node detection problem.
- Proposed benchmark networks for node-weighted network fragmentation problems.
- Performance evaluation of six multi-objective evolutionary algorithms.
- Comparison of objective values and Pareto front analysis.
- NSGAI optimizer generally produces the most desirable approximation Pareto fronts.

Download English Version:

<https://daneshyari.com/en/article/6895225>

Download Persian Version:

<https://daneshyari.com/article/6895225>

[Daneshyari.com](https://daneshyari.com)