

# Accepted Manuscript

Outpatient scheduling with unpunctual patients and no-shows

Matthias Deceuninck, Dieter Fiems, Stijn De Vuyst

PII: S0377-2217(17)30633-1  
DOI: [10.1016/j.ejor.2017.07.006](https://doi.org/10.1016/j.ejor.2017.07.006)  
Reference: EOR 14556



To appear in: *European Journal of Operational Research*

Received date: 13 January 2016  
Revised date: 19 June 2017  
Accepted date: 4 July 2017

Please cite this article as: Matthias Deceuninck, Dieter Fiems, Stijn De Vuyst, Outpatient scheduling with unpunctual patients and no-shows, *European Journal of Operational Research* (2017), doi: [10.1016/j.ejor.2017.07.006](https://doi.org/10.1016/j.ejor.2017.07.006)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**highlights**

- ◇ A discrete-time framework for the evaluation of outpatient schedules is proposed.
- ◇ Patients may be unpunctual and have general, distinct service time distributions.
- ◇ Performance can be greatly improved by correctly exploiting patient classification.

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/6895373>

Download Persian Version:

<https://daneshyari.com/article/6895373>

[Daneshyari.com](https://daneshyari.com)