Accepted Manuscript

Title: A variable neighborhood search heuristic algorithm for production routing problems

Author: Yuzhuo Qiu Liang Wang Xiaoling Xu Xuanjing Fang

Panos M. Pardalos

PII: S1568-4946(18)30091-7

DOI: https://doi.org/doi:10.1016/j.asoc.2018.02.032

Reference: ASOC 4724

To appear in: Applied Soft Computing

Received date: 21-3-2017 Revised date: 31-10-2017 Accepted date: 16-2-2018

Please cite this article as: Yuzhuo Qiu, Liang Wang, Xiaoling Xu, Xuanjing Fang, Panos M. Pardalos, A variable neighborhood search heuristic algorithm for production routing problems, <![CDATA[Applied Soft Computing Journal]]> (2018), https://doi.org/10.1016/j.asoc.2018.02.032

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

A variable neighborhood search heuristic algorithm for production routing problems

Yuzhuo Qiu^{a,b}, Liang Wang^a, Xiaoling Xu^a, Xuanjing Fang^a, Panos M. Pardalos^{b,*}

 ^a Jiangsu Key Laboratory of Modern Logistics, School of Marketing and Logistics Management, Nanjing University of Finance and Economics, Nanjing 210023, China.
 ^b Department of Industrial and Systems Engineering, Faculty of Engineering, University of Florida, Gainesville 32611, United States

Abstract

In a production routing problem (PRP), the aim is to integrate planning of production, inventory, delivery schedules and vehicle routes in supply chains. In this work, we present a variable neighborhood search metaheuristic for the PRP. In the metaheuristic, variables of delivery and routing decisions are handled by local search based on skewed general variable neighborhood search and guided variable neighborhood descent, respectively. Binary variables for production setups and continuous variables for production quantities and the depot inventory are determined in a production-inventory subproblem with a mixed integer programming solver. The computational results show that the proposed heuristic is competitive with the state-of-the-art algorithms on the benchmark instances. Furthermore, the proposed heuristic outperforms existing heuristics on the standard and high transportation cost benchmark instances in Archetti et al. (2011) and large size benchmark instances in Boudia et al. (2007) within comparable computing times.

Keywords: Routing; Production Planning; Guided Variable Neighborhood Descent; Skewed General Variable Neighborhood Search

Preprint submitted to Elsevier

February 20, 2018

^{*}Corresponding author, phone:(352)392-9011 ext 2017

Email addresses: jadeqyz@gmail.com (Yuzhuo Qiu), njcdwl@126.com (Liang Wang),
xlxu125@126.com (Xiaoling Xu), ahjxfxj@126.com (Xuanjing Fang), pardalos@ufl.edu
(Panos M. Pardalos)

Download English Version:

https://daneshyari.com/en/article/6903940

Download Persian Version:

https://daneshyari.com/article/6903940

<u>Daneshyari.com</u>