


Accepted Manuscript

Title: The runner-root algorithm: A metaheuristic for solving unimodal and multimodal optimization problems inspired by runners and roots of plants in nature

Author: F. Merrikh-Bayat



PII: S1568-4946(15)00275-6
DOI: <http://dx.doi.org/doi:10.1016/j.asoc.2015.04.048>
Reference: ASOC 2938

To appear in: *Applied Soft Computing*

Received date: 28-7-2014
Revised date: 3-4-2015
Accepted date: 25-4-2015

Please cite this article as: F. Merrikh-Bayat, The runner-root algorithm: A metaheuristic for solving unimodal and multimodal optimization problems inspired by runners and roots of plants in nature, *Applied Soft Computing Journal* (2015), <http://dx.doi.org/10.1016/j.asoc.2015.04.048>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

- A new optimization algorithm inspired by the plants propagated through runners is proposed.
- Global search with random large steps is performed at all iterations (exploration).
- Local search with random small steps (exploitation) is performed only if global search fails.
- Local search is performed by roots and root hairs.
- It does not necessarily apply a same number of function evaluations at all iterations.

Accepted Manuscript

Download English Version:

<https://daneshyari.com/en/article/6905254>

Download Persian Version:

<https://daneshyari.com/article/6905254>

[Daneshyari.com](https://daneshyari.com)