

Accepted Manuscript

Title: A novel codification and modified heuristic approaches for optimal reconfiguration of distribution networks considering losses cost and cost benefit from voltage profile improvement

Author: S. Ghasemia J. Moshtagh

PII: S1568-4946(14)00437-2
DOI: <http://dx.doi.org/doi:10.1016/j.asoc.2014.08.068>
Reference: ASOC 2504

To appear in: *Applied Soft Computing*

Received date: 2-8-2013
Revised date: 15-6-2014
Accepted date: 16-8-2014

Please cite this article as: S. Ghasemia, J. Moshtagh, A novel codification and modified heuristic approaches for optimal reconfiguration of distribution networks considering losses cost and cost benefit from voltage profile improvement, *Applied Soft Computing Journal* (2014), <http://dx.doi.org/10.1016/j.asoc.2014.08.068>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



A novel codification and modified heuristic approaches for optimal reconfiguration of distribution networks considering losses cost and cost benefit from voltage profile improvement

S. Ghasemi¹, J. Moshtagh*¹

1- Department of Electrical and Computer Engineering, University of Kurdistan, Sanandaj, PO Box 416, Kurdistan, Iran

Highlights

- A modified heuristic approach and novel codification for distribution system reconfiguration is proposed.
- Voltage profile improvement of network is economized.
- Constant impedance, constant power and constant current loads are considered.
- The proposed method has been tested on balanced and unbalanced test distribution networks.

Abstract- Network reconfiguration is the process of changing the topology of distribution systems by altering the open/closed status of switches. Because there are many candidate-switching combinations in the distribution system, network reconfiguration is a complicated combinatorial, non-differentiable

* Corresponding Author- Tel.: +98 871 6660066; Fax: +98 871 6624004. *E-mail address:* moshtagh.jamal@gmail.com

Download English Version:

<https://daneshyari.com/en/article/6905694>

Download Persian Version:

<https://daneshyari.com/article/6905694>

[Daneshyari.com](https://daneshyari.com)