

Accepted Manuscript

Ground-glass nodule segmentation in chest CT images using asymmetric multi-phase deformable model and pulmonary vessel removal

Julip Jung, Helen Hong, Jin Mo Goo

PII: S0010-4825(17)30383-9

DOI: [10.1016/j.compbiomed.2017.11.013](https://doi.org/10.1016/j.compbiomed.2017.11.013)

Reference: CBM 2840

To appear in: *Computers in Biology and Medicine*

Received Date: 22 March 2017

Revised Date: 1 November 2017

Accepted Date: 14 November 2017

Please cite this article as: J. Jung, H. Hong, J.M. Goo, Ground-glass nodule segmentation in chest CT images using asymmetric multi-phase deformable model and pulmonary vessel removal, *Computers in Biology and Medicine* (2017), doi: 10.1016/j.compbiomed.2017.11.013.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**Ground-Glass Nodule Segmentation in Chest CT Images
using Asymmetric Multi-phase Deformable Model
and Pulmonary Vessel Removal**

Julip Jung ^a, Helen Hong ^{a,*}, Jin Mo Goo ^b

^a Department of Software Convergence, Seoul Women's University, 621 Hwarang-ro, Nowon-gu,
Seoul 01797, Republic of Korea

^b Department of Radiology, Seoul National University College of Medicine, 101 Daehak-ro,
Jongno-gu, Seoul 03080, Republic of Korea

* Corresponding author

Tel: +82-2-970-5756

Fax: +82-2-970-5981

E-mail: hllhong@swu.ac.kr

Download English Version:

<https://daneshyari.com/en/article/6920697>

Download Persian Version:

<https://daneshyari.com/article/6920697>

[Daneshyari.com](https://daneshyari.com)