

Accepted Manuscript

Sub-grid properties and artificial viscous stresses in staggered-mesh schemes

R.J.R. Williams

PII: S0021-9991(18)30473-X
DOI: <https://doi.org/10.1016/j.jcp.2018.07.012>
Reference: YJCPH 8137

To appear in: *Journal of Computational Physics*

Received date: 3 November 2017
Revised date: 5 June 2018
Accepted date: 7 July 2018

Please cite this article in press as: R.J.R. Williams, Sub-grid properties and artificial viscous stresses in staggered-mesh schemes, *J. Comput. Phys.* (2018), <https://doi.org/10.1016/j.jcp.2018.07.012>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Highlights

- Ringing in a finite difference scheme is explained using its dispersion relation.
- Shock formation for Burgers equation is related to the turbulent inertial range.
- An artificial viscosity is found by analogy to Large Eddy Simulation of turbulence.

Download English Version:

<https://daneshyari.com/en/article/6928492>

Download Persian Version:

<https://daneshyari.com/article/6928492>

[Daneshyari.com](https://daneshyari.com)