Accepted Manuscript

Comment on "A charge-conservative approach for simulating electrohydrodynamic two-phase flows using volume-of-fluid"

Ramakrishnan Thirumalaisamy, Ganesh Natarajan, Amaresh Dalal


PII: S0021-9991(18)30240-7

DOI: https://doi.org/10.1016/j.jcp.2018.04.024

Reference: YJCPH 7963

To appear in: Journal of Computational Physics

Received date: 13 February 2018 Revised date: 23 March 2018 Accepted date: 11 April 2018



Please cite this article in press as: R. Thirumalaisamy et al., Comment on "A charge-conservative approach for simulating electrohydrodynamic two-phase flows using volume-of-fluid", *J. Comput. Phys.* (2018), https://doi.org/10.1016/j.jcp.2018.04.024

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Highlight inaccuracies with existing framework for high permittivity ratios.
 Simple remedy using reconstruction to compute electric displacement.
- Electric forces computed as divergence of Maxwell tensor using electric displacement.
- Proposed approach more accurate over wide range of permittivity ratios.
- Generic and easy to implement on existing multiphase EHD solvers.

Download English Version:

https://daneshyari.com/en/article/6928803

Download Persian Version:

https://daneshyari.com/article/6928803

<u>Daneshyari.com</u>