

Accepted Manuscript

Auto-weighted 2-dimensional Maximum Margin Criterion

Han Zhang, Feiping Nie, Rui Zhang, Xuelong Li

PII: S0031-3203(18)30195-X
DOI: [10.1016/j.patcog.2018.05.021](https://doi.org/10.1016/j.patcog.2018.05.021)
Reference: PR 6565

To appear in: *Pattern Recognition*

Received date: 21 July 2017
Revised date: 29 April 2018
Accepted date: 20 May 2018

Please cite this article as: Han Zhang, Feiping Nie, Rui Zhang, Xuelong Li, Auto-weighted 2-dimensional Maximum Margin Criterion, *Pattern Recognition* (2018), doi: [10.1016/j.patcog.2018.05.021](https://doi.org/10.1016/j.patcog.2018.05.021)



This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- The proposed method extracts features from 2-order data, i.e., image, directly.
- Updating the weight automatically to make it insensitive to initialization.
- The objective value serves as a reflex of the performance in classification task.

Download English Version:

<https://daneshyari.com/en/article/6938744>

Download Persian Version:

<https://daneshyari.com/article/6938744>

[Daneshyari.com](https://daneshyari.com)