

Accepted Manuscript

Passive-Aggressive online learning with nonlinear embeddings

Javier Jorge, Roberto Paredes

PII: S0031-3203(18)30033-5
DOI: [10.1016/j.patcog.2018.01.019](https://doi.org/10.1016/j.patcog.2018.01.019)
Reference: PR 6428

To appear in: *Pattern Recognition*

Received date: 3 April 2017
Revised date: 19 January 2018
Accepted date: 24 January 2018

Please cite this article as: Javier Jorge, Roberto Paredes, Passive-Aggressive online learning with nonlinear embeddings, *Pattern Recognition* (2018), doi: [10.1016/j.patcog.2018.01.019](https://doi.org/10.1016/j.patcog.2018.01.019)



This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- A combination of Passive-Aggressive algorithm and the Max-Out function is proposed.
- This approach is an alternative to Kernel-based methods in online learning problems.
- The algorithm does not rely on budget strategies over the set of support vectors.
- The model is fast and uses nonlinear learned embeddings, avoiding support vectors.
- This approach has obtained better results in commonly used online learning benchmarks.

Download English Version:

<https://daneshyari.com/en/article/6939033>

Download Persian Version:

<https://daneshyari.com/article/6939033>

[Daneshyari.com](https://daneshyari.com)