


Accepted Manuscript

Low-level Features for Visual Attribute Recognition: An Evaluation

Emine Gul Danaci, Nazli Ikizler-Cinbis

PII: S0167-8655(16)30248-3
DOI: [10.1016/j.patrec.2016.09.015](https://doi.org/10.1016/j.patrec.2016.09.015)
Reference: PATREC 6649



To appear in: *Pattern Recognition Letters*

Received date: 28 November 2015
Revised date: 18 September 2016
Accepted date: 28 September 2016

Please cite this article as: Emine Gul Danaci, Nazli Ikizler-Cinbis, Low-level Features for Visual Attribute Recognition: An Evaluation, *Pattern Recognition Letters* (2016), doi: [10.1016/j.patrec.2016.09.015](https://doi.org/10.1016/j.patrec.2016.09.015)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Research Highlights (Required)

- A comprehensive evaluation on the use of low-level features in attribute recognition.
- Several color, texture, shape and deep (CNN) features are evaluated.
- Experiments show that best feature may vary for different attribute types.
- Although CNN features outperform others, HOG and CSIFT are also competitive.
- Weighted late fusion is a more effective strategy for combining low-level features.

Download English Version:

<https://daneshyari.com/en/article/6940913>

Download Persian Version:

<https://daneshyari.com/article/6940913>

[Daneshyari.com](https://daneshyari.com)