

Accepted Manuscript

On recovery of block sparse signals via block generalized orthogonal matching pursuit

Rui Qi , Diwei Yang , Yujie Zhang , Hongwei Li

PII: S0165-1684(18)30223-8
DOI: [10.1016/j.sigpro.2018.06.023](https://doi.org/10.1016/j.sigpro.2018.06.023)
Reference: SIGPRO 6860



To appear in: *Signal Processing*

Received date: 30 August 2017
Revised date: 24 June 2018
Accepted date: 29 June 2018

Please cite this article as: Rui Qi , Diwei Yang , Yujie Zhang , Hongwei Li , On recovery of block sparse signals via block generalized orthogonal matching pursuit, *Signal Processing* (2018), doi: [10.1016/j.sigpro.2018.06.023](https://doi.org/10.1016/j.sigpro.2018.06.023)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Block structure is taken into account to recover the original block sparse signal.
- In noisy case, sufficient conditions ensuring BgOMP algorithm to identify at least one index in the support of block sparse signal at each iteration are proposed.
- Sufficient conditions under which the BgOMP algorithm can exactly recover the original block sparse signal in noise-free case are proposed.
- Experiment results show that proposed algorithm has considerable recovery performance in terms of probability of exact reconstruction and running time.

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/6956893>

Download Persian Version:

<https://daneshyari.com/article/6956893>

[Daneshyari.com](https://daneshyari.com)