Accepted Manuscript

Accepted date:

Title: Effect of various electrokinetic treatment regimes on solids surface properties and thermal behavior of oil sediments

Authors: Esmaeel Kariminezhad, Maria Elektorowicz

29-3-2018



Please cite this article as: Kariminezhad E, Elektorowicz M, Effect of various electrokinetic treatment regimes on solids surface properties and thermal behavior of oil sediments, *Journal of Hazardous Materials* (2010), https://doi.org/10.1016/j.jhazmat.2018.03.060

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Effect of various electrokinetic treatment regimes on solids surface properties and thermal behavior of oil sediments

Esmaeel Kariminezhad^{a1}, Maria Elektorowicz^a

^aDepartment of Building, Civil and Environmental Engineering, Concordia University, Montreal, Canada

Highlights

- Electrokinetic treated oil sediments showed a decrease of carbon on solids surface
- All four electrokinetic techniques were capable of inducing solids wettability
- Carbon and oxygen functionalities had an effect on wettability
- Thermogravimetric analyses confirmed the hydrocarbon movements

¹Corresponding author: Esmaeel Kariminezhad

Department of Building, Civil and Environmental Engineering, Concordia University, Montreal, QC, H3G 1M8, Canada; Email: es_karim@encs.concordia.ca; Tel. 1 514 848 2424 ext. 7805

Download English Version:

https://daneshyari.com/en/article/6968503

Download Persian Version:

https://daneshyari.com/article/6968503

Daneshyari.com