
Accepted Manuscript

Title: Dynamic Simulation for Risk Analysis: Application to an Exothermic Reaction

Authors: Fatine Berdouzi, Claire Villemur, Nelly Olivier-Maget, Nadine Gabas



PII: DOI: Reference:	S0957-5820(17)30333-6 https://doi.org/10.1016/j.psep.2017.09.019 PSEP 1196
To appear in:	Process Safety and Environment Protection
Received date:	31-3-2017

 Received date:
 31-3-2017

 Revised date:
 31-8-2017

 Accepted date:
 27-9-2017

Please cite this article as: Berdouzi, Fatine, Villemur, Claire, Olivier-Maget, Nelly, Gabas, Nadine, Dynamic Simulation for Risk Analysis: Application to an Exothermic Reaction.Process Safety and Environment Protection https://doi.org/10.1016/j.psep.2017.09.019

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

PROCESS SAFETY AND ENVIRONMENTAL PROTECTION

Dynamic Simulation for Risk Analysis: Application to an Exothermic Reaction

Fatine Berdouzi^a, Claire Villemur^b, Nelly Olivier-Maget^a and Nadine Gabas^a

^a Laboratoire de Génie Chimique, Université de Toulouse, CNRS, INPT, UPS, 4 allée Emile Monso - CS 84234, F-31432 Toulouse cedex 4, France ^b INERIS (Institut National de l'Environnement Industriel et des Risques), B.P. 2, 60550 Verneuil-en-Halatte, France

Abstract

Currently, there is a strong demand for quantitative process risk analysis. There is a challenge in describing the process dynamic behaviour in case of failures. We suggest a methodology that combines dynamic simulation (Aspen Plus Dynamics tool), risk analysis (HAZOP review) and risk matrices. The hazardous scenarios leading to major accidents are identified, some of them are simulated which allows the determination of consequences and quantification of severity. Moreover, the knowledge of the process dynamic behaviour and the evolution of the operating parameters during a degraded mode permits adequate safety barriers recommendation. In this paper, the aim is to apply this methodology to a case study concerning an exothermic reaction in a semi-batch reactor. The chosen reaction is the oxidation reaction of sodium thiosulphate by hydrogen peroxide. Advantages and limitations of the proposed approach are revealed and discussed.

Keywords: Process safety, Dynamic simulation, Risk assessment, HAZOP method, Runaway scenario.

1. Introduction

The risk assessment is a major requirement in the industrial context. Risk identification is essential for ensuring safe design and operation of a process. In chemical industry, chemical reactors involving an exothermic reaction are potentially the most hazardous unit operations (Markos et al., 2005). One major concern is the potential for thermal runaway which can have severe consequences (Stoessel, 2008; Zhang et al., 2014). This scenario has several possible triggers such as cooling loss or wrong reactant concentration (Ni et al., 2016).

In fact, several techniques are available to analyse hazardous scenarios (Marhavilas et al., 2011). Among them, the HAZard and OPerability study (HAZOP) is a well-known technique largely applied (Fuentes-Bargues et al., 2016; Galante et al., 2014; IEC, 2016; ISO 31010, 2010; Kletz, 1999; Saada et al., 2015). Initially, HAZOP was a qualitative method. Since its inception in the 1960's, it has been increasingly used and has evolved to a semi-quantitative method (Trujillo et al., 2015), because risk quantification is decisive for appropriate decision-making. The determination of the effects of failure scenarios is a real challenge (Baybutt, 2015a).

Consequently, there is a real interest in knowing the system behaviour during malfunctions for safety analyses. For this purpose, dynamic simulation is an efficient tool to predict the evolution of variables in chemical processes during deviations from normal

Download English Version:

https://daneshyari.com/en/article/6974245

Download Persian Version:

https://daneshyari.com/article/6974245

Daneshyari.com