Accepted Manuscript

Title: Dynamic Pressure Induced by a Methane-Air Explosion

in a coal mine

Author: Q. Zhang Q.J. Ma

PII: S0957-5820(14)00075-5

DOI: http://dx.doi.org/doi:10.1016/j.psep.2014.05.005


Reference: PSEP 444

To appear in: Process Safety and Environment Protection

Received date: 1-5-2013 Revised date: 18-5-2014 Accepted date: 19-5-2014

Please cite this article as: Zhang, Q., Ma, Q.J., Dynamic Pressure Induced by a Methane-Air Explosion in a coal mine, *Process Safety and Environment Protection* (2014), http://dx.doi.org/10.1016/j.psep.2014.05.005

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Highlights

- > Dynamic pressure induced by methane-air explosion is a hazard.
- > Dynamic pressure in tube full of methane-air is higher than overpressure at opening.
- ➤ Wind induced by explosion is strong enough to cause damage at opening of mine.
- > Duration of flow of a methane-air explosion is much longer than that of shock wave

Download English Version:

https://daneshyari.com/en/article/6974622

Download Persian Version:

https://daneshyari.com/article/6974622

Daneshyari.com