

Accepted Manuscript

Flexible electrochromic materials based on CNT/PDA hybrids

Reinack Varghese Hansen, Jinglei Yang, Lianxi Zheng



PII: S0001-8686(18)30033-2
DOI: doi:[10.1016/j.cis.2018.07.003](https://doi.org/10.1016/j.cis.2018.07.003)
Reference: CIS 1900

To appear in: *Advances in Colloid and Interface Science*

Please cite this article as: Reinack Varghese Hansen, Jinglei Yang, Lianxi Zheng , Flexible electrochromic materials based on CNT/PDA hybrids. Cis (2018), doi:[10.1016/j.cis.2018.07.003](https://doi.org/10.1016/j.cis.2018.07.003)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Flexible electrochromic materials based on CNT/PDA hybrids

Reinack Varghese Hansen^{a†}, Jinglei Yang^b and Lianxi Zheng^{c**}*

^a School of Mechanical and Aerospace Engineering, Nanyang Technological University, 50 Nanyang Avenue, 639798 Singapore.

[†] School of Materials Science and Engineering, Nanyang Technological University, 50 Nanyang Avenue, Singapore 639798.

^b Department of Mechanical and Aerospace Engineering, The Hong Kong University of Science and Technology, Kowloon, Hong Kong.

^c Department of Mechanical Engineering, Khalifa University, P.O. Box: 127788, Abu Dhabi, United Arab Emirates.

Corresponding authors:

*Reinack Varghese Hansen: reinack1@e.ntu.edu.sg; +65 96497419

**Lianxi Zheng: Lianxi.zheng@kustar.ac.ae; +971 (02) 5018318

Download English Version:

<https://daneshyari.com/en/article/6976543>

Download Persian Version:

<https://daneshyari.com/article/6976543>

[Daneshyari.com](https://daneshyari.com)