

Accepted Manuscript

Title: Self-assembly of anionic pyrene derivatives with cationic surfactants bearing a tetradecyl chain

Authors: Zsombor Miskolczy, Yuki Takahashi, Naritaka Kobayashi, Seiichiro Nakabayashi, Alexandre Loukanov, László Biczók



PII: S0927-7757(18)30372-8
DOI: <https://doi.org/10.1016/j.colsurfa.2018.05.018>
Reference: COLSUA 22485

To appear in: *Colloids and Surfaces A: Physicochem. Eng. Aspects*

Received date: 8-4-2018
Revised date: 6-5-2018
Accepted date: 7-5-2018

Please cite this article as: Miskolczy Z, Takahashi Y, Kobayashi N, Nakabayashi S, Loukanov A, Biczók L, Self-assembly of anionic pyrene derivatives with cationic surfactants bearing a tetradecyl chain, *Colloids and Surfaces A: Physicochemical and Engineering Aspects* (2018), <https://doi.org/10.1016/j.colsurfa.2018.05.018>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Self-assembly of anionic pyrene derivatives with cationic surfactants bearing a tetradecyl chain


Zsombor Miskolczy,^a Yuki Takahashi,^b Naritaka Kobayashi,^c Seiichiro Nakabayashi,^{b,c} Alexandre Loukanov,^c László Biczók^{a*}

^aInstitute of Materials and Environmental Chemistry, Research Centre for Natural Sciences, Hungarian Academy of Sciences, P.O. Box 286, 1519 Budapest, Hungary

^bDepartment of Chemistry, Graduate School of Science and Engineering, Saitama University, Shimo-okubo 255, Sakura-ku, Saitama 338-8570, Japan

^cDivision of Strategic Research and Development, Graduate School of Science and Engineering, Saitama University, Shimo-okubo 255, Sakura-ku, Saitama 338-8570, Japan

Graphical abstract:



Abstract

The association of 1,3,6,8-pyrenetetrasulfonate (S4P) or 8-hydroxypyrene-1,3,6-trisulfonate (S3POH) with cationic surfactants possessing tetradecyl substituent was studied in aqueous

* Corresponding author. Phone: (+36 1) 382-6614; E-mail: biczok.laszlo@tk.mta.hu

Download English Version:

<https://daneshyari.com/en/article/6977317>

Download Persian Version:

<https://daneshyari.com/article/6977317>

[Daneshyari.com](https://daneshyari.com)