

## Accepted Manuscript

Title: The influence of *n*-hexanol on the morphology and composition of CTAB micelles

Authors: Tilo Schmutzler, Torben Schindler, Martin Schmiele, Marie-Sousai Appavou, Sebastian Lages, Armin Kriele, Ralph Gilles, Tobias Unruh



PII: S0927-7757(17)31136-6  
DOI: <https://doi.org/10.1016/j.colsurfa.2017.12.039>  
Reference: COLSUA 22163

To appear in: *Colloids and Surfaces A: Physicochem. Eng. Aspects*

Received date: 16-10-2017  
Revised date: 15-12-2017  
Accepted date: 17-12-2017

Please cite this article as: Schmutzler T, Schindler T, Schmiele M, Appavou M-S, Lages S, Kriele A, Gilles R, Unruh T, The influence of *n*-hexanol on the morphology and composition of CTAB micelles, *Colloids and Surfaces A: Physicochemical and Engineering Aspects* (2010), <https://doi.org/10.1016/j.colsurfa.2017.12.039>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

# The influence of *n*-hexanol on the morphology and composition of CTAB micelles

Tilo Schmutzler<sup>a</sup>, Torben Schindler<sup>a</sup>, Martin Schmiele<sup>a</sup>, Marie-Sousai Appavou<sup>b</sup>, Sebastian Lages<sup>a,c</sup>, Armin Kriele<sup>d</sup>, Ralph Gilles<sup>e</sup>, Tobias Unruh<sup>a\*</sup>

<sup>a</sup> Crystallography and Structural Physics, Friedrich-Alexander-Universität Erlangen-Nürnberg, 91058 Erlangen, Germany


<sup>b</sup> Forschungszentrum Jülich GmbH, Jülich Centre for Neutron Science (JCNS), Outstation at FRM II, 85747 Garching, Germany

<sup>c</sup> MAX IV Laboratory, Lund University, P.O. Box 118, SE-22100 Lund, Sweden

<sup>d</sup> German Engineering Materials Science Centre (GEMS), Helmholtz Zentrum Geesthacht (HZG), Max-Planck-Straße 1, 21502 Geesthacht, Germany

<sup>e</sup> Heinz Maier-Leibnitz Zentrum (MLZ), Technische Universität München, 85747 Garching, Germany

Graphical abstract



## Abstract

The effect of the addition of *n*-hexanol as co-surfactant on the structure of cetyltrimethylammonium bromide (CTAB) micelles has been studied using small-angle X-ray and neutron scattering (SAXS, SANS). Contrast variation neutron scattering experiments were performed to determine the structure of both pure CTAB and *n*-hexanol modified CTAB micelles. The incorporation of *n*-hexanol leads to

Download English Version:

<https://daneshyari.com/en/article/6977610>

Download Persian Version:

<https://daneshyari.com/article/6977610>

[Daneshyari.com](https://daneshyari.com)