Accepted Manuscript

Title: The characteristics of a preservative-free contact lens care solution on lysozyme adsorption and interfacial friction behavior

Authors: Chen-Ying Su, Chi-Chun Lai, Lung-Kun Yeh, Kuan-Yi Li, Bo-Wu Shih, Ching-Li Tseng, Hsu-Wei Fang



Please cite this article as: Su C-Ying, Lai C-Chun, Yeh L-Kun, Li K-Yi, Shih B-Wu, Tseng C-Li, Fang H-Wei, The characteristics of a preservative-free contact lens care solution on lysozyme adsorption and interfacial friction behavior, *Colloids and Surfaces B: Biointerfaces* (2018), https://doi.org/10.1016/j.colsurfb.2018.07.076

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

The characteristics of a preservative-free contact lens care solution on lysozyme adsorption and interfacial friction behavior

Chen-Ying Su^{a,#}, Chi-Chun Lai^{b,c,#}, Lung-Kun Yeh^{b,c}, Kuan-Yi Li^a, Bo-Wu Shih^a, Ching-Li Tseng^d, and Hsu-Wei Fang^{a,e,*}

^a Department of Chemical Engineering and Biotechnology, National Taipei University of Technology. 1,

Sec. 3, Zhongxiao E. Rd., Taipei 10608, Taiwan.

^b Department of Ophthalmology, Chang Gung Memorial Hospital, Linkou. No. 5, Fuxing St., Taoyuan

333, Taiwan.

^c College of Medicine, Chang Gung University, No.259, Wenhua 1st Rd., Taoyuan 333, Taiwan.

^d Graduate Institute of Biomedical Materials and Tissue Engineering, College of Biomedical Engineering,

Taipei Medical University, No. 250, Wu-Hsing St., Taipei 110, Taiwan.

^e Institute of Biomedical Engineering and Nanomedicine, National Health Research Institutes. No. 35,

Keyan Road, Zhunan Town, Miaoli County 35053, Taiwan.

[#] These authors contributed to this work equally

* Corresponding author: <u>hwfang@ntut.edu.tw</u>

Graphic abstract

When a contact lens is in contact with an eye, tear protein such as lysozyme starts to be accumulated on the lens. The friction between the eyelid and the lens often results in discomfort of the wearer and the conformational changes of lysozyme. Our Download English Version:

https://daneshyari.com/en/article/6980202

Download Persian Version:

https://daneshyari.com/article/6980202

Daneshyari.com