

## Accepted Manuscript

Title: Effect of Vanadium Released from Micro-arc Oxidized Porous Ti6Al4V on Biocompatibility in Orthopedic Applications

Authors: Yafei Zhang, Peng Xiu, Zhaojun Jia, Teng Zhang, Chuan Yin, Yan Cheng, Hong Cai, Ke Zhang, Chunli Song, Huijie Leng, Wanqiong Yuan, Zhongjun Liu



PII: S0927-7765(18)30329-1  
DOI: <https://doi.org/10.1016/j.colsurfb.2018.05.044>  
Reference: COLSUB 9363

To appear in: *Colloids and Surfaces B: Biointerfaces*

Received date: 4-11-2017

Revised date: 15-5-2018

Accepted date: 19-5-2018

Please cite this article as: Yafei Zhang, Peng Xiu, Zhaojun Jia, Teng Zhang, Chuan Yin, Yan Cheng, Hong Cai, Ke Zhang, Chunli Song, Huijie Leng, Wanqiong Yuan, Zhongjun Liu, Effect of Vanadium Released from Micro-arc Oxidized Porous Ti6Al4V on Biocompatibility in Orthopedic Applications, Colloids and Surfaces B: Biointerfaces <https://doi.org/10.1016/j.colsurfb.2018.05.044>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Title:** Effect of Vanadium Released from Micro-arc Oxidized Porous Ti6Al4V on Biocompatibility in Orthopedic Applications

**Author names and affiliations:**

Yafei Zhang <sup>a,b</sup>, Peng Xiu <sup>d</sup>, Zhaojun Jia <sup>e</sup>, Teng Zhang <sup>a,b</sup>, Chuan Yin <sup>a,b</sup>, Yan Cheng <sup>c</sup>, Hong Cai <sup>a,b</sup>, Ke Zhang <sup>a,b</sup>, Chunli Song <sup>a,b</sup>, Huijie Leng <sup>a,b</sup>, Wanqiong Yuan <sup>a,b</sup>, Zhongjun Liu <sup>a,b,\*</sup>

<sup>a</sup> Department of Orthopedics, Peking University Third Hospital, Beijing 100191, PR China

<sup>b</sup> Beijing Key Laboratory of Spinal Diseases, Beijing 100191, PR China

<sup>c</sup> Center for Biomedical Materials and Tissue Engineering, Academy for Advanced Interdisciplinary Studies, Peking University, Beijing 100871, PR China

<sup>d</sup> Department of Orthopedic Surgery, West China Hospital, Sichuan University, No. 37 GuoXue Road, Chengdu, China

<sup>e</sup> Department of Orthopedic and Traumatology, The University of Hong Kong, 21 Sassoon Road, Pokfulam, Hong Kong, China

**\* Corresponding author.**

Zhongjun Liu

Tel: +86 13501031921.

E-mail address: zjliu2014@126.com (Zhongjun Liu)

Department of Orthopedics, Peking University Third Hospital, Beijing 100191, PR China

Beijing Key Laboratory of Spinal Diseases, Beijing 100191, PR China

Download English Version:

<https://daneshyari.com/en/article/6980312>

Download Persian Version:

<https://daneshyari.com/article/6980312>

[Daneshyari.com](https://daneshyari.com)