Accepted Manuscript

Title: Supramolecular nanofibers of dexamethasone derivatives to form hydrogel for topical ocular drug delivery

Authors: Zhaoliang Zhang, Jing Yu, Yanfang Zhou, Renshu Zhang, Qianqian Song, Lei Lei, Xingyi Li

PII: S0927-7765(18)30059-6

DOI: https://doi.org/10.1016/j.colsurfb.2018.01.051

Reference: COLSUB 9130

To appear in: Colloids and Surfaces B: Biointerfaces

Received date: 24-11-2017 Revised date: 14-1-2018 Accepted date: 25-1-2018

Please cite this article as: Zhaoliang Zhang, Jing Yu, Yanfang Zhou, Renshu Zhang, Qianqian Song, Lei Lei, Xingyi Li, Supramolecular nanofibers of dexamethasone derivatives to form hydrogel for topical ocular drug delivery, Colloids and Surfaces B: Biointerfaces https://doi.org/10.1016/j.colsurfb.2018.01.051

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT


Supramolecular nanofibers of dexamethasone derivatives to form hydrogel for topical ocular drug delivery

Zhaoliang Zhang^a, Jing Yu^b, Yanfang Zhou^a, Renshu Zhang^a, Qianqian Song^a, Lei Lei^a, Xingyi Li^{a*}

^a Institute of Biomedical Engineering, School of Ophthalmology & Optometry and Eye Hospital, Wenzhou Medical University, 270 Xueyuan Road, Wenzhou 325027, P.R. China.

^b Institute of Biomaterials and Engineering, Wenzhou Medical University, and Wenzhou Institute of Biomaterials and Engineering, Wenzhou 325035, P.R. China

Graphical abstract



Self-drug delivery of prodrug supramolecular hydrogel; Rapid gelation recovery

Resistance of blinking; Enhanced bioavailability

Highlights

- 1. A prodrug supramolecular hydrogel was prepared using a pH hydrolytic strategy
- 2. The supramolecular hydrogel displayed long-term stability over 30 day after lyophilization
- 3. The supramolecular hydrogel significantly extend the precorneal retention

^{*} Corresponding author: Xingyi Li, School of Ophthalmology & Optometry and Eye Hospital, Wenzhou Medical University, 270 Xueyuan Road, Wenzhou, P.R. China. E-mail: lixingyi_1984@163.com

Download English Version:

https://daneshyari.com/en/article/6980648

Download Persian Version:

https://daneshyari.com/article/6980648

<u>Daneshyari.com</u>