

Accepted Manuscript

Chemical structure and molecular weight influence the *in vitro* fermentability of polysaccharide extracts from the edible seaweeds *Himathalia elongata* and *Gigartina pistillata*


Inmaculada Mateos-Aparicio, Giulia Martera, Isabel Goñi, María-José Villanueva-Suárez, Araceli Redondo-Cuenca

PII: S0268-005X(18)30184-X

DOI: [10.1016/j.foodhyd.2018.05.016](https://doi.org/10.1016/j.foodhyd.2018.05.016)


Reference: FOOHYD 4434

To appear in: *Food Hydrocolloids*



Please cite this article as: Inmaculada Mateos-Aparicio, Giulia Martera, Isabel Goñi, María-José Villanueva-Suárez, Araceli Redondo-Cuenca, Chemical structure and molecular weight influence the *in vitro* fermentability of polysaccharide extracts from the edible seaweeds *Himathalia elongata* and *Gigartina pistillata*, *Food Hydrocolloids* (2018), doi: 10.1016/j.foodhyd.2018.05.016

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Download English Version:

<https://daneshyari.com/en/article/6985587>

Download Persian Version:

<https://daneshyari.com/article/6985587>

[Daneshyari.com](https://daneshyari.com)