Accepted Manuscript

Comparative structure of starches from high-amylose maize inbred lines and their hybrids

Lingshang Lin, Dongwei Guo, Lingxiao Zhao, Xudong Zhang, Juan Wang, Fengmin Zhang, Cunxu Wei

PII: S0268-005X(15)00264-7

DOI: 10.1016/j.foodhyd.2015.06.008

Reference: FOOHYD 3039


To appear in: Food Hydrocolloids

- Received Date: 23 November 2014
- Revised Date: 30 May 2015

Accepted Date: 2 June 2015

Please cite this article as: Lin, L., Guo, D., Zhao, L., Zhang, X., Wang, J., Zhang, F., Wei, C., Comparative structure of starches from high-amylose maize inbred lines and their hybrids, *Food Hydrocolloids* (2015), doi: 10.1016/j.foodhyd.2015.06.008.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.




Comparative structure of starches from high-amylose maize inbred lines and their hybrids

Lingshang Lin^{a,1}, Dongwei Guo^{b,1}, Lingxiao Zhao^a, Xudong Zhang^b, Juan Wang^a, Fengmin Zhang^c, Cunxu Wei^{a*}

^a Jiangsu Key Laboratory of Crop Genetics and Physiology/Co-Innovation Center for Modern Production Technology of Grain Crops, Yangzhou University, Yangzhou 225009, Chin
^b Key Laboratory of Biology and Genetic Improvement of Maize in Arid Area of Northwest Region, Ministry of Agriculture, Northwest A & F University, Yangling 712100, China
^c Testing Center, Yangzhou University, Yangzhou 225009, China

¹Lin L. S. and Guo D. W. contributed equally to this work.



Download English Version:

https://daneshyari.com/en/article/6987350

Download Persian Version:

https://daneshyari.com/article/6987350

Daneshyari.com