


Accepted Manuscript

Comparison of self-aggregated chitosan particles prepared with and without ultrasonication pretreatment as Pickering emulsifier

Kiang Wei Ho, Chien Wei Ooi, William Wachira Mwangi, Wai Fun Leong, Beng Ti Tey, Eng-Seng Chan



PII: S0268-005X(15)30064-3

DOI: [10.1016/j.foodhyd.2015.08.019](https://doi.org/10.1016/j.foodhyd.2015.08.019)

Reference: FOOHYD 3112

To appear in: *Food Hydrocolloids*


Received Date: 28 March 2015

Revised Date: 2 July 2015

Accepted Date: 21 August 2015

Please cite this article as: Ho, K.W., Ooi, C.W., Mwangi, W.W., Leong, W.F., Tey, B.T., Chan, E.-S., Comparison of self-aggregated chitosan particles prepared with and without ultrasonication pretreatment as Pickering emulsifier, *Food Hydrocolloids* (2015), doi: 10.1016/j.foodhyd.2015.08.019.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Download English Version:

<https://daneshyari.com/en/article/6987537>

Download Persian Version:

<https://daneshyari.com/article/6987537>

[Daneshyari.com](https://daneshyari.com)