

Accepted Manuscript

Multi-carboxylic magnetic gel from hyperbranched polyglycerol formed by thiol-ene photopolymerization for efficient and selective adsorption of methylene blue and methyl violet dyes

Yiheng Song, Yixing Duan, Li Zhou

PII: S0021-9797(18)30646-5
DOI: <https://doi.org/10.1016/j.jcis.2018.06.005>
Reference: YJCIS 23696

To appear in: *Journal of Colloid and Interface Science*

Received Date: 26 April 2018
Revised Date: 2 June 2018
Accepted Date: 4 June 2018

Please cite this article as: Y. Song, Y. Duan, L. Zhou, Multi-carboxylic magnetic gel from hyperbranched polyglycerol formed by thiol-ene photopolymerization for efficient and selective adsorption of methylene blue and methyl violet dyes, *Journal of Colloid and Interface Science* (2018), doi: <https://doi.org/10.1016/j.jcis.2018.06.005>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**Multi-carboxylic magnetic gel from hyperbranched polyglycerol
formed by thiol-ene photopolymerization for efficient and selective
adsorption of methylene blue and methyl violet dyes**

Yiheng Song, Yixing Duan, Li Zhou*

*Key Laboratory of New Processing Technology for Nonferrous Metal and Materials
(Ministry of Education), and College of Materials Science and Engineering, Guilin
University of Technology, Guilin 541004, P. R. China*

*Corresponding author: Li Zhou, E-mail: zhouli@glut.edu.cn.

Download English Version:

<https://daneshyari.com/en/article/6989902>

Download Persian Version:

<https://daneshyari.com/article/6989902>

[Daneshyari.com](https://daneshyari.com)