Accepted Manuscript



Modified two-step emulsion solvent evaporation technique for fabricating biodegradable rod-shaped particles in the submicron size range.

Hanieh Safari, Reheman Adili, Michael Holinstat, Omolola Eniola-Adefeso

PII: S0021-9797(18)30178-4
DOI: https://doi.org/10.1016/j.jcis.2018.02.030
Reference: YJCIS 23302

To appear in: *Journal of Colloid and Interface Science*

Received Date: 2 October 2017
Revised Date: 8 February 2018
Accepted Date: 8 February 2018

Please cite this article as: H. Safari, R. Adili, M. Holinstat, O. Eniola-Adefeso, Modified two-step emulsion solvent evaporation technique for fabricating biodegradable rod-shaped particles in the submicron size range., *Journal of Colloid and Interface Science* (2018), doi: https://doi.org/10.1016/j.jcis.2018.02.030

Modified two-step emulsion solvent evaporation technique for fabricating biodegradable rod-shaped particles in the submicron size range.

AUTHOR NAMES. Hanieh Safari[a], Reheman Adili[d], Michael Holinstat[d,e], Omolola Eniola-Adefeso[a,b,c]*

AUTHOR ADDRESS.

[a] Department of Chemical Engineering, University of Michigan, Ann Arbor, MI 48109, United States
[b] Department of Biomedical Engineering, University of Michigan, Ann Arbor, MI 48109, United States
[c] Macromolecular Science and Engineering Program, University of Michigan, Ann Arbor, MI 48109, United States
[d] Department of pharmacology, University of Michigan, Ann Arbor, MI 48019, United States
[e] Department of Cardiovascular Medicine, Samuel and Jean Frankel Cardiovascular Center, University of Michigan, Ann Arbor, MI 48109, United States

[*] Corresponding Author: Department of Chemical Engineering, University of Michigan, North Campus Research Complex B028/Rm. G046W, 2800 Plymouth Road Ann Arbor, MI 48109, lolaa@umich.edu, phone: +1-734-936-0856, fax: +1-734-764-7453