

Synthesis of High Volumetric Capacity Graphene Oxide-Supported Tellurantimony Na- and Li-Ion Battery Anodes by Hydrogen Peroxide Sol Gel Processing

Dmitry A. Grishanov, Alexey A. Mikhaylov, Alexander G. Medvedev, Jenny Gun, Arun Nagasubramanian, Srinivasan Madhavi, Ovadia Lev, Petr V. Prikhodchenko

PII: S0021-9797(17)31204-3
DOI: https://doi.org/10.1016/j.jcis.2017.10.040
Reference: YJCIS 22910

To appear in: *Journal of Colloid and Interface Science*

Received Date: 21 July 2017
Revised Date: 29 September 2017
Accepted Date: 11 October 2017

Please cite this article as: D.A. Grishanov, A.A. Mikhaylov, A.G. Medvedev, J. Gun, A. Nagasubramanian, S. Madhavi, O. Lev, P.V. Prikhodchenko, Synthesis of High Volumetric Capacity Graphene Oxide-Supported Tellurantimony Na- and Li-Ion Battery Anodes by Hydrogen Peroxide Sol Gel Processing, *Journal of Colloid and Interface Science* (2017), doi: https://doi.org/10.1016/j.jcis.2017.10.040

TITLE PAGE

Synthesis of High Volumetric Capacity Graphene Oxide-Supported Tellurantimony Na- and Li-Ion Battery Anodes by Hydrogen Peroxide Sol Gel Processing

Type of article Full article

Dmitry A. Grishanov,[a] Alexey A. Mikhaylov,[a,b,c] Alexander G. Medvedev,[a,b,c] Jenny Gun,[b] Arun Nagasubramanian,[c] Srinivasan Madhavi,[c,d] Ovadia Lev,[b,c,*] and Petr V. Prikhodchenko,[a,*]

Word count (excluding abstract and references) 3389
Number of Tables 1
Number of Figures 4
Number of Photos 0
Number of References 44

Corresponding author Ovadia Lev
Postal address The Casali Center of Applied Chemistry, The Institute of Chemistry, The Hebrew University of Jerusalem, Jerusalem 91904, Israel.
Mobile number +972 548820620
Email address ovadia@mail.huji.ac.il.

Acknowledgements*

This research is conducted by NTU-HUJ Nanomaterials for Energy and Water Management Programme under the Campus for Research Excellence and Technological Enterprise (CREATE), that is supported by the National Research Foundation, Prime Minister's Office, Singapore. The financial support of Israel Research Foundation and the Ministry of Science is thankfully acknowledged. We thank the Harvey M. Krueger Family Centre for Nanoscience and Nanotechnology of the Hebrew University of Jerusalem and the Israel Science Foundation. We thank the Russian Science Foundation (grant 16-13-00110).

Affiliations of author(s)

[a.] Kurnakov Institute of General and Inorganic Chemistry, Russian Academy of Sciences, Leninskii prosp. 31, Moscow 119991, Russia.
[b.] The Casali Center of Applied Chemistry, The Institute of Chemistry, The Hebrew University of Jerusalem, Jerusalem 91904, Israel
[c.] HUJ – NTU – CREATE and TUM – CREATE, 1 CREATE Way, 10-02 Create Tower, Singapore 138602, Singapore.
[d.] Energy Research Institute @ NTU, Nanyang Technological University, 50 Nanyang Avenue, Singapore 639798, Singapore.