


Accepted Manuscript

Facilitating effective hydrodynamic lubrication for zero-entrainment-velocity contacts based on boundary slip mechanism

P.L. Wong, Y. Zhao, J. Mao



PII: S0301-679X(18)30345-1

DOI: [10.1016/j.triboint.2018.07.017](https://doi.org/10.1016/j.triboint.2018.07.017)

Reference: JTRI 5311

To appear in: *Tribology International*

Received Date: 29 September 2017

Revised Date: 9 July 2018

Accepted Date: 9 July 2018

Please cite this article as: Wong PL, Zhao Y, Mao J, Facilitating effective hydrodynamic lubrication for zero-entrainment-velocity contacts based on boundary slip mechanism, *Tribology International* (2018), doi: 10.1016/j.triboint.2018.07.017.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Second revised manuscript submitted to Tribol. Int. (Ecotrib 2017 special issue)

Title: Facilitating effective hydrodynamic lubrication for zero-entrainment-velocity contacts based on boundary slip mechanism

^{1*}Wong P. L., ^{1,2}Zhao Y., ²Mao J.

¹Department of Mechanical and Biomedical Engineering, City University of Hong Kong, Tat Chee Avenue, Kowloon, Hong Kong.

²Key Lab of Education Ministry for Modern Design and Rotor-bearing System, Xi'an Jiatong University, Xi'an, China.

*Correspondence to Dr. P. L. Wong,
Email: meplwong@cityu.edu.hk

Download English Version:

<https://daneshyari.com/en/article/7001320>

Download Persian Version:

<https://daneshyari.com/article/7001320>

[Daneshyari.com](https://daneshyari.com)